

according to Regulation (EC) No 1907/2006

# Lead(II) chloride, 250 g

Print date: 14.04.2015 Product code: 9991150 Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Lead(II) chloride, 250 g

CAS No: 7758-95-4
Index No: 082-001-00-6
EC No: 231-845-5

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

#### 1.3. Details of the supplier of the safety data sheet

Seller

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1
Place: D-66459 Kirkel
Internet: www.conatex.com

Supplier

Company name: Carbolution Chemicals GmbH Street: Im Stadtwald, Gebäude A1.2

Place: D-66123 Saarbrücken

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

1.4. Emergency telephone

<u>number:</u>

+49 (0)681 302-71232

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: R1 - Repr. Cat. 1, R3 - Repr. Cat. 3, Xn - Harmful, N - Dangerous for the

environment R phrases:

May cause harm to the unborn child. Possible risk of impaired fertility.

Harmful by inhalation and if swallowed.

Danger of cumulative effects. Very toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Reproductive toxicity: Repr. 1A Acute toxicity: Acute Tox. 4 Acute toxicity: Acute Tox. 4

Specific target organ toxicity - repeated exposure: STOT RE 2
Hazardous to the aquatic environment: Aquatic Acute 1 (M-Factor = 1)
Hazardous to the aquatic environment: Aquatic Chronic 1 (M-Factor = 1)

Hazard Statements:

May damage the unborn child. Suspected of damaging fertility.



according to Regulation (EC) No 1907/2006

# Lead(II) chloride, 250 g

Print date: 14.04.2015 Product code: 9991150 Page 2 of 9

Harmful if swallowed.

Harmful if inhaled.

May cause damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

### 2.2. Label elements

### Hazardous components which must be listed on the label

Lead(II) chloride

Signal word: Danger

Pictograms: GHS07-GHS08-GHS09







### **Hazard statements**

H302+H332 Harmful if swallowed or if inhaled.

H360Df May damage the unborn child. Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements** 

P201 Obtain special instructions before use.
P273 Avoid release to the environment.

P281 Use personal protective equipment as required.
P308+P313 IF exposed or concerned: Get medical advice/attention.

P501 Dispose of contents/container to ....

### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Sum formula: Cl2Pb Molecular weight: 278.11

# **Hazardous components**

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
231-845-5	Lead(II) chloride	100 %
7758-95-4	Repr. Cat. 1, Repr. Cat. 3, Xn - Harmful, N - Dangerous for the environment R61-62-20/22-33-50-53	
082-001-00-6	Repr. 1A, Acute Tox. 4, Acute Tox. 4, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H360Df H302 H332 H373 H400 H410	

Full text of R-, H- and EUH-phrases: see section 16.

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety



according to Regulation (EC) No 1907/2006

# Lead(II) chloride, 250 g

Print date: 14.04.2015 Product code: 9991150 Page 3 of 9

data sheet if possible).

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

Wash with plenty of water. Immediately remove any contaminated clothing, shoes or stockings. Medical treatment necessary.

#### After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

# Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid generation of dust. Do not breathe dust.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.



according to Regulation (EC) No 1907/2006

# Lead(II) chloride, 250 g

Print date: 14.04.2015 Product code: 9991150 Page 4 of 9

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

### Advice on storage compatibility

No special measures are necessary.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### 8.2. Exposure controls

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: solid

Colour:

Odour: No data available

Test method

pH-Value: not determined

Changes in the physical state

Melting point: 501 °C
Initial boiling point and boiling range: 950 °C
Sublimation point: No data available
Softening point: No data available
Flash point: not applicable

**Flammability** 

Solid: not determined Gas: not applicable



according to Regulation (EC) No 1907/2006

Lead	$oldsymbol{m}$	ch	orio	de.	250	α

Print date: 14.04.2015 Product code: 9991150 Page 5 of 9

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

No data available

**Auto-ignition temperature** 

Solid: not determined Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidizing.

Vapour pressure:

Vapour pressure:

No data available

Density:

not determined

not determined

insoluble

Solubility in other solvents

not determined

Partition coefficient: not determined Viscosity / dynamic: No data available Viscosity / kinematic: No data available Flow time: No data available Vapour density: not determined not determined Evaporation rate: Solvent separation test: No data available No data available Solvent content:

9.2. Other information

Solid content: not determined

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

Toxicological data are not available.



according to Regulation (EC) No 1907/2006

# Lead(II) chloride, 250 g

Print date: 14.04.2015 Product code: 9991150 Page 6 of 9

### **Acute toxicity**

Toxicological data are not available.

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
7758-95-4	Lead(II) chloride				
	oral	ATE	500 mg/kg		
	inhalative vapour	ATE	11 mg/l		
	inhalative aerosol	ATE	1,5 mg/l		

### Irritation and corrosivity

No data available

### Sensitising effects

No data available

### Severe effects after repeated or prolonged exposure

No data available

### Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

### Specific effects in experiment on an animal

No data available

#### Additional information on tests

This mixture is classified as hazardous according to 1999/45/EC. Special hazards arising from the substance or mixture!

## **Practical experience**

#### Observations relevant to classification

No data available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### 12.2. Persistence and degradability

The product has not been tested.

## 12.3. Bioaccumulative potential

The product has not been tested.

### 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The product has not been tested.

# 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of



according to Regulation (EC) No 1907/2006

# Lead(II) chloride, 250 g

Print date: 14.04.2015 Product code: 9991150 Page 7 of 9

waste according to applicable legislation.

### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

of laboratory chemicals

Classified as hazardous waste.

### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

of laboratory chemicals

Classified as hazardous waste.

#### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances

Classified as hazardous waste.

### Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

## Land transport (ADR/RID)

**14.1. UN number:** UN 2291

14.2. UN proper shipping name: LEAD COMPOUND, SOLUBLE, N.O.S.

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Classification code:T5

Special Provisions: 199 274 535

Limited quantity: 5 kg
Transport category: 2
Hazard No: 60
Tunnel restriction code: E

### Other applicable information (land transport)

F1

### Inland waterways transport (ADN)

**14.1. UN number:** UN 2291

**14.2. UN proper shipping name:** LEAD COMPOUND, SOLUBLE, N.O.S.

14.3. Transport hazard class(es):
6.1
14.4. Packing group:

Hazard label: 6.1 Classification code: T5

Special Provisions: 199 274 535 802

Limited quantity: 5 kg

### Other applicable information (inland waterways transport)

E1

# Marine transport (IMDG)

**14.1. UN number:** UN 2291



according to Regulation (EC) No 1907/2006

Lead(II) chloride, 250 g

Print date: 14.04.2015 Product code: 9991150 Page 8 of 9

14.2. UN proper shipping name: LEAD COMPOUND, SOLUBLE, N.O.S.

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Marine pollutant:PSpecial Provisions:199, 274Limited quantity:5 kgEmS:F-A, S-A

Other applicable information (marine transport)

Ε´

Air transport (ICAO)

**14.1. UN number:** UN 2291

14.2. UN proper shipping name: LEAD COMPOUND, SOLUBLE, N.O.S.

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Special Provisions:A92Limited quantity Passenger:10 kg

IATA-packing instructions - Passenger:670IATA-max. quantity - Passenger:100 kgIATA-packing instructions - Cargo:677IATA-max. quantity - Cargo:200 kg

Other applicable information (air transport)

: Y645 E1

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

**Additional information** 

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Employment restrictions: Observe employment restrictions for young people. Observe employment

restrictions for child bearing mothers and nursing.

Water contaminating class (D): 3 - highly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

# Lead(II) chloride, 250 g

Print date: 14.04.2015 Product code: 9991150 Page 9 of 9

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Relevant R-phrases (Number and full text)

20/22	Harmful by inhalation and if swallowed.
33	Danger of cumulative effects.
50	Very toxic to aquatic organisms.
53	May cause long-term adverse effects in the aquatic environment.
61	May cause harm to the unborn child.
62	Possible risk of impaired fertility.

### Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.

H302+H332 Harmful if swallowed or if inhaled.

H332 Harmful if inhaled.

H360Df May damage the unborn child. Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.