

according to Regulation (EC) No 1907/2006

#### Iron(III) chloride, anhydrous, 50 g Print date: 14.04.2015 Product code: 9991288 Page 1 of 8 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Iron(III) chloride, anhydrous, 50 g CAS No: 7705-08-0 EC No: 231-729-4 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Laboratory chemicals 1.3. Details of the supplier of the safety data sheet Seller CONATEX-DIDACTIC Lehrmittel GmbH Company name: Street: Im Forstgarten 1 Place: D-66459 Kirkel Internet: www.conatex.com Supplier Carbolution Chemicals GmbH Company name: Street: Im Stadtwald, Gebäude A1.2 D-66123 Saarbrücken Place: Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232 e-mail: michael.bauer@carbolution-chemicals.de Internet: www.carbolution-chemicals.de 1.4. Emergency telephone +49 (0)681 302-71232 number:

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: Xn - Harmful, Xi - Irritant R phrases: Harmful if swallowed. Irritating to skin. Risk of serious damage to eyes.

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Substance or mixture corrosive to metals: Met. Corr. 1 Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Dam. 1 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: May be corrosive to metals. Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Toxic to aquatic life with long lasting effects.

# 2.2. Label elements



### according to Regulation (EC) No 1907/2006

Print date: 14.04.2015	Product code: 9991288	Page 2 of 8			
Hazardous components which must be listed on the label Iron(III) chloride					
Signal word:	Danger				
Pictograms:	GHS05-GHS07-GHS09				
Hazard statements H290	May be corrosive to metals.				
	May be corrosive to metals. Harmful if swallowed.				
H290	•				
H290 H302	Harmful if swallowed.				
H290 H302 H315	Harmful if swallowed. Causes skin irritation.				
H290 H302 H315 H318 H411	Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Toxic to aquatic life with long lasting effects.				
H290 H302 H315 H318	Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Toxic to aquatic life with long lasting effects.				

# SECTION 3: Composition/information on ingredients

# 3.1. Substances

Sum formula:	Cl3Fe
Molecular weight:	162,20

### Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
231-729-4	Iron(III) chloride	100 %
7705-08-0	Xn - Harmful, Xi - Irritant R22-38-41	
	Met. Corr. 1, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 2; H290 H302 H315 H318 H411	

Full text of R-, H- and EUH-phrases: see section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

Provide fresh air.

## After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

# After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.



### according to Regulation (EC) No 1907/2006

### Iron(III) chloride, anhydrous, 50 g

Print date: 14.04.2015

Product code: 9991288

Page 3 of 8

### After ingestion

Rinse mouth immediately and drink plenty of water. Medical treatment necessary.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

### Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.2. Exposure controls

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.



according to Regulation (EC) No 1907/2006

# Iron(III) chloride, anhydrous, 50 g

Print date: 14.04.2015

Product code: 9991288

Page 4 of 8

### Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

# Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

# Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

# **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	162,20		
Colour:	colourless		
Odour:	No data available		
			Test method
pH-Value:		No data available	
Changes in the physical state			
Melting point:		304 °C	
Initial boiling point and boiling range:		No data available	
Sublimation point:		No data available	
Softening point:		No data available	
Flash point:		No data available	
Flammability			
Solid:		No data available	
Gas:		No data available	
Lower explosion limits:		No data available	
Upper explosion limits:		No data available	
Ignition temperature:		No data available	
Auto-ignition temperature			
Solid:		No data available	
Gas:		No data available	
Vapour pressure: (at 194 °C)		1 hPa	
Vapour pressure:		No data available	
Density:		2,8 g/cm <sup>3</sup>	
Water solubility:		No data available	
Partition coefficient:		No data available	
Viscosity / dynamic:		No data available	
Viscosity / kinematic:		No data available	
Flow time:		No data available	
Vapour density:		5,6	



### according to Regulation (EC) No 1907/2006

Iron(III) chloride, anhydrous, 50 g			
Print date: 14.04.2015	Product code: 9991288	Page 5 of 8	
Evaporation rate:	No data available		
Solvent separation test:	No data available		
Solvent content:	No data available		
9.2. Other information			
Solid content:	No data available		

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

# 10.3. Possibility of hazardous reactions

No data available

### 10.4. Conditions to avoid

No data available

# 10.5. Incompatible materials

Oxidizing agents, strong.

## 10.6. Hazardous decomposition products

No data available

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

## Toxicocinetics, metabolism and distribution

Toxicological data are not available.

### Acute toxicity

Acute toxicity, dermal.

CAS No	Chemical name					
	Exposure routes Method Dose Species Source					
7705-08-0	Iron(III) chloride					
	oral	ATE	500 mg/kg			

## Irritation and corrosivity

Irritating to eyes. Risk of serious damage to eyes. After skin contact: Irritant.

### Sensitising effects

No data available

# Severe effects after repeated or prolonged exposure

No data available

# Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

# Specific effects in experiment on an animal

No data available

# Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

# Practical experience



according to Regulation (EC) No 1907/2006

# Iron(III) chloride, anhydrous, 50 g

Print date: 14.04.2015

Product code: 9991288

Page 6 of 8

# Observations relevant to classification

No data available

# **SECTION 12: Ecological information**

### 12.1. Toxicity

No data available

# 12.2. Persistence and degradability

No data available

## 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

No data available

### 12.6. Other adverse effects

No data available

### **Further information**

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### Advice on disposal

Dispose of waste according to applicable legislation.

### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals Classified as hazardous waste.

Classified as nazardous waste.

### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals Classified as hazardous waste.

# Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information				
Land transport (ADR/RID)				
<u>14.1. UN number:</u>	UN1773			
14.2. UN proper shipping name:	FERRIC CHLORIDE, ANHYDROUS			

14.3. Transport hazard class(es):

8



# according to Regulation (EC) No 1907/2006

	Iron(III) chloride, a	nhydrous 50 g	
	• •	· · ·	Day 7 (0)
Print date: 14.04.2015	Product code:	9991288	Page 7 of 8
14.4. Packing group:	111		
Hazard label:	8		
Classification code:	C2		
Special Provisions:	590		
Limited quantity:	5 kg		
Transport category:	3		
Hazard No:	80 E		
Tunnel restriction code:	—		
Other applicable information (land trans E1	port)		
Inland waterways transport (ADN)			
<u>14.1. UN number:</u>	UN1773		
14.2. UN proper shipping name:	FERRIC CHLORIDE,	ANHYDROUS	
14.3. Transport hazard class(es):	8		
14.4. Packing group:	III		
Hazard label:	8		
Classification code:	8 C2		
Special Provisions:	590		
Limited quantity:	5 kg		
Other applicable information (inland wa	-		
E1			
Marine transport (IMDG)			
<u>14.1. UN number:</u>	UN1773		
14.2. UN proper shipping name:	FERRIC CHLORIDE,	ANHYDROUS	
14.3. Transport hazard class(es):	8		
14.4. Packing group:	III		
Hazard label:	8		
Special Provisions:	-		
Limited quantity:	5 kg		
EmS:	F-A, S-B		
Other applicable information (marine tra E1	nsport)		
Air transport (ICAO)			
<u>14.1. UN number:</u>	UN1773		
14.2. UN proper shipping name:	FERRIC CHLORIDE,	ANHYDROUS	
14.3. Transport hazard class(es):	8		
14.4. Packing group:	e III		
Hazard label:	8		
Special Provisions:	8 A803		
Limited quantity Passenger:	5 kg		
IATA-packing instructions - Passenger:	5	860	
IATA-max. quantity - Passenger:		25 kg	
IATA-packing instructions - Cargo:		864	
IATA-max. quantity - Cargo:		100 kg	
Other applicable information (air transported) E1	ort)		
: Y845			



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

Iron(III) chloride, anhydrous, 50 g						
Print date: 14.04.2015	Product code: 9991288	Page 8 of 8				
14.5. Environmental hazards						
ENVIRONMENTALLY HAZARDOUS:	yes					
SECTION 15: Regulatory information						
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture						
EU regulatory information	EU regulatory information					
Additional information						
Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)						
National regulatory information						
Water contaminating class (D): 3 - highly water contaminating						
SECTION 16: Other information						
		· · · · · · · · · · · · · · · · · · ·				

# Relevant R-phrases (Number and full text)

- Harmful if swallowed.
- 38 Irritating to skin.
- 41 Risk of serious damage to eyes.

# Relevant H- and EUH-phrases (Number and full text)

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H411 Toxic to aquatic life with long lasting effects.