

Safety Data Sheet

a to Population (EC) No 1007/2006

according to Regulation (EC) No 1907/2006					
Copper, plate approx. 0,5 mm thick, 250 g					
Print date: 14.04.2015	Product code	: 9991467		Page 1 of 7	
SECTION 1: Identification of	SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier					
	prox. 0,5 mm thick, 250 g				
CAS No: EC No:	7440-50-8 231-159-6				
	he substance or mixture and use	s advised agai	nst		
Use of the substance/mixture		<u>o uurioou ugui</u>			
Laboratory chemi					
1.3. Details of the supplier of the					
Seller					
Company name:	CONATEX-DIDACTIC Lehr	mittel GmbH			
Street:	Im Forstgarten 1				
Place:	D-66459 Kirkel				
Internet:	www.conatex.com				
Supplier					
Company name:	Carbolution Chemicals Gmb	рΗ			
Street:	Im Stadtwald, Gebäude A1.	2			
Place:	D-66123 Saarbrücken				
Contact person:	Dr. Michael Bauer		Telephone: +49 (0)681 302-71232		
e-mail:	michael.bauer@carbolution	-chemicals.de			
Internet:	www.carbolution-chemicals.	de			
<u>1.4. Emergency telephone</u> number:	+49 (0)681 302-71232				
SECTION 2: Hazards identific	ation				
2.1. Classification of the substar	nce or mixture				
Classification according to D	irective 67/548/EEC or 1999/45/EC				
R phrases:					
	erm adverse effects in the aquatic				
-	egulation (EC) No. 1272/2008 [CL	P]			
Hazard categorie Hazardous to the	aquatic environment: Aquatic Chro	onic 4			
Hazard Statemen					
May cause long la	asting harmful effects to aquatic life	÷.			
2.2. Label elements					
Hazard statements					
H413 Ma	ay cause long lasting harmful effect	s to aquatic life			
Precautionary statements P273 Av	roid release to the environment.				
SECTION 3: Composition/info	ormation on ingredients				
3.1. Substances					
Sum formula:	Cu				
Molecular weight:	63,55				
-					



according to Regulation (EC) No 1907/2006

Copper, plate approx. 0,5 mm thick, 250 g

Print date: 14.04.2015

Product code: 9991467

Page 2 of 7

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
231-159-6	Copper	100 %
7440-50-8	R53	
	Aquatic Chronic 4; H413	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Change contaminated clothing.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Avoid generation of dust. Do not breathe

gas/fumes/vapour/spray. Provide adequate ventilation. Remove persons to safety. Do not breathe dust.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage



according to Regulation (EC) No 1907/2006

Copper, plate approx. 0,5 mm thick, 250 g

Print date: 14.04.2015

Product code: 9991467

Page 3 of 7

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7440-50-8	Copper, fume	-	0.2		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls

Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	light brown
Odour:	No data available

	Test met	thod
pH-Value:	No data available	
Changes in the physical state		
Melting point:	1083 °C	
Initial boiling point and boiling range:	2567 °C	
Sublimation point:	No data available	
Softening point:	No data available	
Flash point:	No data available	



according to Regulation (EC) No 1907/2006

Copper, plate approx. 0,5 mm thick, 250 g				
Print date: 14.04.2015	Product code: 9991467	Page 4 of 7		
Flammability Solid:	No data available			
Gas:	No data available			
Lower explosion limits:	No data available			
Upper explosion limits:	No data available			
Ignition temperature:	No data available			
Auto-ignition temperature				
Solid:	No data available			
Gas:	No data available			
Vapour pressure:	No data available			
Vapour pressure:	No data available			
Density:	No data available			
Water solubility:	No data available			
Partition coefficient:	No data available			
Viscosity / dynamic:	No data available			
Viscosity / kinematic:	No data available			
Flow time:	No data available			
Vapour density:	No data available			
Evaporation rate:	No data available			
Solvent separation test:	No data available			
Solvent content:	No data available			
9.2. Other information				
Solid content:	No data available			

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Oxidizing agents, strong.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Toxicological data are not available.

Irritation and corrosivity

No data available

Sensitising effects

No data available



according to Regulation (EC) No 1907/2006

Copper, plate approx. 0,5 mm thick, 250 g

Print date: 14.04.2015

Product code: 9991467

Page 5 of 7

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

160506

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals.

Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging



according to Regulation (EC) No 1907/2006

	Co	pper, plate approx. 0,5 mm thick, 250 g	
Print date: 14.0	04.2015	Product code: 9991467	Page 6 of 7
150110	CLOTHING NOT OTHERWI	DRBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE SE SPECIFIED; packaging (including separately collected municipal g containing residues of or contaminated by dangerous substances ite.	
	substance itself.	may be recycled. Handle contaminated packages in the same way as the	
SECTION 14	Transport information		
Land transpor	t (ADR/RID)		
<u>14.1. UN nu</u>	<u>imber:</u>	UN 3077	
<u>14.2. UN pr</u>	oper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
<u>14.3. Trans</u>	port hazard class(es):	9	
<u>14.4. Packi</u>	ng group:	III	
Hazard labe	el:	9	
Classification	on code:	M7	
Special Pro		274 335 601	
Limited qua	-	5 kg	
Transport c Hazard No:		3 90	
	riction code:	E	
	icable information (land trans	_	
	E1		
Inland waterw	ays transport (ADN)		
<u>14.1. UN nu</u>	umber:	UN 3077	
14.2. UN pr	oper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
14.3. Trans	port hazard class(es):	9	
14.4. Packi	ng group:	III	
Hazard lab		9	
Classificatio		M7	
Special Pro	visions:	274 335 601	
Limited qua	intity:	5 kg	
Other appl	icable information (inland wa E1	terways transport)	
Marine transp			
<u>14.1. UN nu</u>	ımber:	UN 3077	
14.2. UN pr	oper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
14.3. Trans	port hazard class(es):	9	
<u>14.4. Packi</u>	ng group:	III	
Hazard lab	el:	9	
Special Pro	visions:	274, 335, 966, 967	
Limited qua	intity:	5 kg	
EmS:		F-A, S-F	
Other appl	icable information (marine tra E1	ansport)	
Air transport (ICAO)		
<u>14.1. UN nu</u>	<u>ımber:</u>	UN 3077	



according to Regulation (EC) No 1907/2006

Copper, plate approx. 0,5 mm thick, 250 g				
Print date: 14.04.2015	Product code: 9991467	Page 7 of 7		
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.C	D.S.		
14.3. Transport hazard class(es):	9			
14.4. Packing group:	111			
Hazard label:	9			
Special Provisions:	A97 A158 A179			
Limited quantity Passenger:	30 kg G			
IATA-packing instructions - Passenger:	956			
IATA-max. quantity - Passenger:	400 kg			
IATA-packing instructions - Cargo:	956			
IATA-max. quantity - Cargo:	400 kg			
Other applicable information (air transp E1	ort)			
: Y956				
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	yes			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture			
EU regulatory information				
Additional information				
Safety Data Sheet according	to Regulation (EC) No. 1907/2006 (REACH)			
National regulatory information				
Water contaminating class (D):	3 - highly water contaminating			
SECTION 16: Other information				
Relevant R-phrases (Number and full te	xt)			

Relevant R-phrases (Number and full text)

53 May cause long-term adverse effects in the aquatic environment.

Relevant H- and EUH-phrases (Number and full text)

H413 May cause long lasting harmful effects to aquatic life.