

according to Regulation (EC) No 1907/2006

#### Copper(II) sulfate, anhydrous, 50 g Print date: 14.04.2015 Product code: 9991544 Page 1 of 8 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Copper(II) sulfate, anhydrous, 50 g CAS No: 7758-98-7 Index No: 029-004-00-0 EC No: 231-847-6 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Laboratory chemicals 1.3. Details of the supplier of the safety data sheet Seller CONATEX-DIDACTIC Lehrmittel GmbH Company name: Street: Im Forstgarten 1 Place: D-66459 Kirkel www.conatex.com Internet: Supplier Carbolution Chemicals GmbH Company name: Street: Im Stadtwald, Gebäude A1.2 Place: D-66123 Saarbrücken Dr. Michael Bauer Telephone: +49 (0)681 302-71232 Contact person: e-mail: michael.bauer@carbolution-chemicals.de Internet: www.carbolution-chemicals.de +49 (0)681 302-71232 1.4. Emergency telephone number:

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R phrases: Harmful if swallowed. Irritating to eyes and skin. Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Acute toxicity: Acute Tox. 4 Serious eye damage/eye irritation: Eye Irrit. 2 Skin corrosion/irritation: Skin Irrit. 2 Hazardous to the aquatic environment: Aquatic Acute 1 (M-Factor = 1) Hazard Statements: Harmful if swallowed. Causes serious eye irritation. Causes skin irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

|                               | Copper(II) sulfate, anhydrous, 50 g  |             |  |  |
|-------------------------------|--|-------------|--|--|
| Print date: 14.04.2015        | Product code: 9991544  | Page 2 of 8 |  |  |
| 2.2. Label elements           |  |             |  |  |
| Hazardous compone<br>copper s | ents which must be listed on the label<br>sulphate   |             |  |  |
| Signal word:                  | Danger   |             |  |  |
| Pictograms:                   | GHS06-GHS09  |             |  |  |
| 2                             |  |             |  |  |
| Hazard statements             |  |             |  |  |
| Hazard statements<br>H301     | Toxic if swallowed.  |             |  |  |
|                               | Toxic if swallowed.<br>Causes skin irritation.   |             |  |  |
| H301                          |  |             |  |  |
| H301<br>H315                  | Causes skin irritation.  |             |  |  |
| H301<br>H315<br>H319<br>H410  | Causes skin irritation.<br>Causes serious eye irritation.<br>Very toxic to aquatic life with long lasting effects. |             |  |  |
| H301<br>H315<br>H319          | Causes skin irritation.<br>Causes serious eye irritation.<br>Very toxic to aquatic life with long lasting effects. |             |  |  |

## 3.1. Substances

| Sum formula:      | CuO4S  |
|-------------------|--------|
| Molecular weight: | 159,61 |

### Hazardous components

| EC No        | Chemical name  | Quantity |
|--------------|--|----------|
| CAS No       | Classification according to Directive 67/548/EEC   |          |
| Index No     | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |          |
| 231-847-6    | copper sulphate  | 100 %    |
| 7758-98-7    | Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R22-36/38-50-53                             |          |
| 029-004-00-0 | Acute Tox. 4, Eye Irrit. 2, Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1; H302 H319<br>H315 H400 H410 |          |

Full text of R-, H- and EUH-phrases: see section 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## After inhalation

Provide fresh air.

#### After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

## After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.



according to Regulation (EC) No 1907/2006

## Copper(II) sulfate, anhydrous, 50 g

Print date: 14.04.2015

Product code: 9991544

Page 3 of 8

#### After ingestion

Rinse mouth immediately and drink plenty of water. Medical treatment necessary.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

#### Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.2. Exposure controls

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.



according to Regulation (EC) No 1907/2006

## Copper(II) sulfate, anhydrous, 50 g

Print date: 14.04.2015

Product code: 9991544

Page 4 of 8

#### Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

## Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

## Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

## **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

| Physical state:                          | solid             |                   |
|--|-------------------|-------------------|
| Colour:                                  | colourless        |                   |
| Odour:                                   | No data available |                   |
|  |                   | Test method       |
| pH-Value:                                |                   | No data available |
| Changes in the physical state            |                   |                   |
| Melting point:                           |                   | 200 °C            |
| Initial boiling point and boiling range: |                   | No data available |
| Sublimation point:                       |                   | No data available |
| Softening point:                         |                   | No data available |
| Flash point:                             |                   | No data available |
| Flammability                             |                   |                   |
| Solid:                                   |                   | No data available |
| Gas:                                     |                   | No data available |
| Lower explosion limits:                  |                   | No data available |
| Upper explosion limits:                  |                   | No data available |
| Ignition temperature:                    |                   | No data available |
| Auto-ignition temperature                |                   |                   |
| Solid:                                   |                   | No data available |
| Gas:                                     |                   | No data available |
| Vapour pressure:                         |                   | No data available |
| Vapour pressure:                         |                   | No data available |
| Density:                                 |                   | No data available |
| Water solubility:                        |                   | No data available |
| Partition coefficient:                   |                   | No data available |
| Viscosity / dynamic:                     |                   | No data available |
| Viscosity / kinematic:                   |                   | No data available |
| Flow time:                               |                   | No data available |
| Vapour density:                          |                   | No data available |
| Evaporation rate:                        |                   | No data available |
|  |                   |                   |



according to Regulation (EC) No 1907/2006

| Copper(II) sulfate, anhydrous, 50 g  |                       |             |  |  |  |
|--------------------------------------|-----------------------|-------------|--|--|--|
| Print date: 14.04.2015               | Product code: 9991544 | Page 5 of 8 |  |  |  |
| Solvent separation test:             | No data available     |             |  |  |  |
| Solvent content:                     | No data available     |             |  |  |  |
| 9.2. Other information               |                       |             |  |  |  |
| Solid content:                       | No data available     |             |  |  |  |
|                                      |                       |             |  |  |  |
| SECTION 10: Stability and reactivity |                       |             |  |  |  |

### 10.1. Reactivity

No data available

#### 10.3. Possibility of hazardous reactions

No data available

#### 10.4. Conditions to avoid

No data available

#### 10.5. Incompatible materials

Oxidizing agents, strong.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

Toxicological data are not available.

#### Acute toxicity

Acute toxicity, dermal.

| CAS No    | Chemical name   |        |           |         |        |
|-----------|-----------------|--------|-----------|---------|--------|
|           | Exposure routes | Method | Dose      | Species | Source |
| 7758-98-7 | copper sulphate |        |           |         |        |
|           | oral            | LD50   | 300 mg/kg | Ratte   |        |

#### Irritation and corrosivity

Irritating to eyes. After skin contact: Irritant.

#### Sensitising effects

No data available

#### Severe effects after repeated or prolonged exposure

No data available

#### Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

#### Specific effects in experiment on an animal

No data available

## Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

#### Practical experience

#### **Observations relevant to classification**

No data available

## **SECTION 12: Ecological information**



## CONATEX-DIDACTIC Lehrmittel GmbH

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Copper(II) sulfate, anhydrous, 50 g

Print date: 14.04.2015

Product code: 9991544

Page 6 of 8

## 12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| CA  | S No    | Chemical name       |        |           |           |                      |        |
|-----|---------|---------------------|--------|-----------|-----------|----------------------|--------|
|     |         | Aquatic toxicity    | Method | Dose      | [h]   [d] | Species              | Source |
| 775 | 58-98-7 | copper sulphate     |        |           |           |                      |        |
|     |         | Acute fish toxicity | LC50   | 0,11 mg/l | 96 h      | Onchorhynchus mykiss |        |

### 12.2. Persistence and degradability

No data available

## 12.3. Bioaccumulative potential

No data available

## 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

No data available

## 12.6. Other adverse effects

No data available

#### **Further information**

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

## Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

#### **Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

| SECTION 14: Transport information |         |
|-----------------------------------|---------|
| Land transport (ADR/RID)          |         |
| <u>14.1. UN number:</u>           | UN 3077 |
|                                   |         |

## 14.2. UN proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.



# Safety Data Sheet

## according to Regulation (EC) No 1907/2006

| Copper(II) sulfate, anhydrous, 50 g                               |  |             |  |  |
|---|--|-------------|--|--|
| Print date: 14.04.2015  | Product code: 9991544                              | Page 7 of 8 |  |  |
| 14.3. Transport hazard class(es):                                 | 9  |             |  |  |
| 14.4. Packing group:  | III  |             |  |  |
| Hazard label:   | 9  |             |  |  |
| Classification code:  | M7   |             |  |  |
| Special Provisions:   | 274 335 601  |             |  |  |
| Limited quantity:   | 5 kg   |             |  |  |
| Transport category:   | 3  |             |  |  |
| Hazard No:  | 90<br>F  |             |  |  |
| Tunnel restriction code:  | _  |             |  |  |
| Other applicable information (land tran<br>E1                     | sport)   |             |  |  |
| Inland waterways transport (ADN)                                  |  |             |  |  |
| <u>14.1. UN number:</u>   | UN 3077  |             |  |  |
| 14.2. UN proper shipping name:                                    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |             |  |  |
| 14.3. Transport hazard class(es):                                 | 9  |             |  |  |
| 14.4. Packing group:  | III  |             |  |  |
| Hazard label:   | 9  |             |  |  |
| Classification code:  | M7   |             |  |  |
| Special Provisions:   | 274 335 601  |             |  |  |
| Limited quantity:   | 5 kg   |             |  |  |
| Other applicable information (inland wa<br>E1                     | aterways transport)                                |             |  |  |
| Marine transport (IMDG)   |  |             |  |  |
| <u>14.1. UN number:</u>   | UN 3077  |             |  |  |
| 14.2. UN proper shipping name:                                    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |             |  |  |
| 14.3. Transport hazard class(es):                                 | 9  |             |  |  |
| 14.4. Packing group:  | III  |             |  |  |
| Hazard label:   | 9  |             |  |  |
| Special Provisions:   | 274, 335, 966, 967                                 |             |  |  |
| Limited quantity:   | 5 kg   |             |  |  |
| EmS:  | F-A, S-F   |             |  |  |
| Other applicable information (marine tr<br>E1                     | ransport)  |             |  |  |
| Air transport (ICAO)  |  |             |  |  |
| <u>14.1. UN number:</u>   | UN 3077  |             |  |  |
| 14.2. UN proper shipping name:                                    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |             |  |  |
| 14.3. Transport hazard class(es):                                 | 9  |             |  |  |
| 14.4. Packing group:  | III  |             |  |  |
| Hazard label:   | 9  |             |  |  |
| Special Provisions:   | A97 A158 A179                                      |             |  |  |
| Limited quantity Passenger:                                       | 30 kg G  |             |  |  |
| IATA-packing instructions - Passenger:                            | 956  |             |  |  |
| IATA-max. quantity - Passenger:                                   | 400 kg   |             |  |  |
| IATA-packing instructions - Cargo:<br>IATA-max. quantity - Cargo: | 956<br>400 kg                                      |             |  |  |
| Other applicable information (air transp                          | -  |             |  |  |
| E1  |  |             |  |  |



according to Regulation (EC) No 1907/2006

## Copper(II) sulfate, anhydrous, 50 g

Print date: 14.04.2015

Product code: 9991544

Page 8 of 8

: Y956

## 14.5. Environmental hazards

**ENVIRONMENTALLY HAZARDOUS:** yes

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulatory information

## Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

#### National regulatory information

Water contaminating class (D):

3 - highly water contaminating

## **SECTION 16: Other information**

### Relevant R-phrases (Number and full text)

- 22 Harmful if swallowed.
- 36/38 Irritating to eyes and skin.
- 50 Very toxic to aquatic organisms.
- 53 May cause long-term adverse effects in the aquatic environment.

## Relevant H- and EUH-phrases (Number and full text)

| H301 | Toxic if swallowed.                                   |
|------|---|
| H302 | Harmful if swallowed.                                 |
| H315 | Causes skin irritation.                               |
| H319 | Causes serious eye irritation.                        |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |
|      |   |