

according to Regulation (EC) No 1907/2006

Sodium iodate, 25 g			
Print date: 14.04.2015	Product code: 9991690		Page 1 of 8
SECTION 1: Identification of the s	ubstance/mixture and of the company/	undertaking	
1.1. Product identifier			
Sodium iodate, 25 g			
CAS No:	7681-55-2		
EC No:	231-672-5		
1.2. Relevant identified uses of the su	bstance or mixture and uses advised again	<u>nst</u>	
Use of the substance/mixture			
Laboratory chemicals			
1.3. Details of the supplier of the safe	<u>ty data sheet</u>		
Seller			
Company name:	CONATEX-DIDACTIC Lehrmittel GmbH		
Street:	Im Forstgarten 1		
Place:	D-66459 Kirkel		
Internet:	www.conatex.com		
Supplier			
Company name:	Carbolution Chemicals GmbH		
Street:	Im Stadtwald, Gebäude A1.2		
Place:	D-66123 Saarbrücken		
Contact person:	Dr. Michael Bauer	Telephone: +49 (0)681 302-71232	
e-mail:	michael.bauer@carbolution-chemicals.de		
Internet:	www.carbolution-chemicals.de		
<u>1.4. Emergency telephone</u> number:	+49 (0)681 302-71232		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: O - Oxidizing, Xn - Harmful R phrases: Contact with combustible material may cause fire. Harmful if swallowed. May cause sensitisation by inhalation and skin contact.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Oxidising solid: Ox. Sol. 2 Acute toxicity: Acute Tox. 4 Respiratory/skin sensitization: Resp. Sens. 1 Respiratory/skin sensitization: Skin Sens. 1 Hazard Statements: May intensify fire; oxidiser. Harmful if swallowed. May cause allergy or asthma symptoms or breathing difficulties if inhaled . May cause an allergic skin reaction.

2.2. Label elements

Hazardous components which must be listed on the label Sodium iodate

Signal word:

Danger



according to Regulation (EC) No 1907/2006

	Sodium iodate, 25 g	
Print date: 14.04.2015	Product code: 9991690	Page 2 of 8
Pictograms:	GHS03-GHS07-GHS08	
Hazard statements		
	H272 May intensify fire; oxidiser.	
	H302 Harmful if swallowed.	
H317	May cause an allergic skin reaction.	
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
Precautionary statem	nents	
P280 Wear protective gloves/protective clothing/eye protection/face protection.		
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.	

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	INaO3
Molecular weight:	197,89

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
231-672-5	Sodium iodate	100 %
7681-55-2	O - Oxidizing, Xn - Harmful R08-22-42/43	
	Ox. Sol. 2, Acute Tox. 4, Resp. Sens. 1, Skin Sens. 1; H272 H302 H334 H317	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. In case of breathing difficulties administer oxygen. Medical treatment necessary.

After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Medical treatment necessary.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures



according to Regulation (EC) No 1907/2006

Sodium iodate, 25 g

Print date: 14.04.2015

Product code: 9991690

Page 3 of 8

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool place. Keep away from sources of ignition. - No smoking.

Advice on storage compatibility

Keep away from combustible material.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374



Test method

according to Regulation (EC) No 1907/2006

Sodium iodate, 25 g

Print date: 14.04.2015

Product code: 9991690

Page 4 of 8

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	colourless
Odour:	No data available

	pH-Value (at 25 °C):	6,5	19,8 g/l
	Changes in the physical state		
	Initial boiling point and boiling range:	No data available	
	Sublimation point:	No data available	
	Softening point:	No data available	
	Flash point:	No data available	
	Flammability		
	Solid:	No data available	
	Gas:	No data available	
	Lower explosion limits:	No data available	
	Upper explosion limits:	No data available	
	Ignition temperature:	No data available	
	Auto-ignition temperature		
	Solid:	No data available	
	Gas:	No data available	
	Vapour pressure:	No data available	
	Vapour pressure:	No data available	
	Density:	No data available	
	Water solubility:	19,8 g/L	
	(at 20 °C)		
	Partition coefficient:	No data available	
	Viscosity / dynamic:	No data available	
	Viscosity / kinematic:	No data available	
	Flow time:	No data available	
	Vapour density:	No data available	
	Evaporation rate:	No data available	
	Solvent separation test:	No data available	
	Solvent content:	No data available	
<u>9</u> .	2. Other information		
	Solid content:	No data available	



according to Regulation (EC) No 1907/2006

Sodium iodate, 25 g

Print date: 14.04.2015

Product code: 9991690

Page 5 of 8

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

In case of impact or pressure influence: Explosion hazard. Remove all sources of ignition. Keep away from heat. Ignition hazard.

10.5. Incompatible materials

Keep away from: material, combustible.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Acute toxicity, dermal.

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
7681-55-2	Sodium iodate				
	oral	ATE	500 mg/kg		

Irritation and corrosivity

No data available

Sensitising effects

May cause sensitization by inhalation and skin contact.

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available



according to Regulation (EC) No 1907/2006

Sodium iodate, 25 g

Print date: 14.04.2015

Product code: 9991690

Page 6 of 8

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN1479
14.2. UN proper shipping name:	OXIDIZING SOLID, N.O.S.
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	II
Hazard label:	5.1
Classification code:	O2
Special Provisions:	274
Limited quantity:	1 kg
Transport category:	2
Hazard No:	50
Tunnel restriction code:	E



according to Regulation (EC) No 1907/2006

	Sodium iodate, 25 g	
Print date: 14.04.2015	Product code: 9991690	Page 7 of
Other applicable information (land trans	sport)	
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	UN1479	
14.2. UN proper shipping name:	OXIDIZING SOLID, N.O.S.	
14.3. Transport hazard class(es):	5.1	
14.4. Packing group:	II	
Hazard label:	5.1	
Classification code:	02	
Special Provisions:	274	
Limited quantity:	1 kg	
Other applicable information (inland wa E2	terways transport)	
/larine transport (IMDG)		
<u>14.1. UN number:</u>	UN1479	
14.2. UN proper shipping name:	OXIDIZING SOLID, N.O.S.	
14.3. Transport hazard class(es):	5.1	
14.4. Packing group:	II	
Hazard label:	5.1	
Special Provisions:	274, 900	
Limited quantity:	1 kg	
EmS:	F-A, S-Q	
Other applicable information (marine tr E2	ansport)	
Air transport (ICAO)		
<u>14.1. UN number:</u>	UN1479	
14.2. UN proper shipping name:	OXIDIZING SOLID, N.O.S.	
14.3. Transport hazard class(es):	5.1	
14.4. Packing group:	II	
Hazard label:	5.1	
Special Provisions:	A3	
Limited quantity Passenger:	2.5 kg	
IATA-packing instructions - Passenger:	558	
IATA-max. quantity - Passenger:	5 kg	
IATA-packing instructions - Cargo:	562 25 km	
IATA-max. quantity - Cargo:	25 kg	
Other applicable information (air transp E2	ort)	
: Y544		
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
SECTION 15: Possulators information		
SECTION 15: Regulatory information		

EU regulatory information

Additional information



according to Regulation (EC) No 1907/2006

Sodium iodate, 25 g				
Print date: 14.04.2	2015	Product code: 9991690	Page 8 of 8	
Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)				
National regulatory information				
Water contaminating class (D): 3 - highly water contaminating				
SECTION 16: Other information				
Relevant R-phrases (Number and full text)				
08		bustible material may cause fire.		
22 Harmful if swallowed.				
42/43	May cause sensit	isation by inhalation and skin contact.		

Relevant H- and EUH-phrases (Number and full text)

ovantin	
H272	May intensify fire; oxidiser.

- H302 Harmful if swallowed.
- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.