

according to Regulation (EC) No 1907/2006

Nickel(II) chloride hexahydrate, 50 g				
Print date: 15.04.2015	Product code: 9992046		Page 1 of 9	
SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier				
Nickel(II) chloride hexal	nydrate, 50 g			
CAS No:	7791-20-0			
1.2. Relevant identified uses of the su	bstance or mixture and uses advised agair	<u>nst</u>		
Use of the substance/mixture				
Laboratory chemicals				
1.3. Details of the supplier of the safet	ty data sheet			
Seller				
Company name:	CONATEX-DIDACTIC Lehrmittel GmbH			
Street:	Im Forstgarten 1			
Place:	D-66459 Kirkel			
Internet:	www.conatex.com			
Supplier				
Company name:	Carbolution Chemicals GmbH			
Street:	Im Stadtwald, Gebäude A1.2			
Place:	D-66123 Saarbrücken			
Contact person:	Dr. Michael Bauer	Telephone: +49 (0)681 302-71232		
e-mail:	michael.bauer@carbolution-chemicals.de			
Internet:	www.carbolution-chemicals.de			
1.4. Emergency telephone number:	+49 (0)681 302-71232			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: C1 - Carc. Cat. 1, M3 - Muta. Cat. 3, R2 - Repr. Cat. 2, T - Toxic, Xi - Irritant, N -Dangerous for the environment R phrases: May cause cancer by inhalation. May cause harm to the unborn child. Toxic by inhalation and if swallowed. Irritating to skin. May cause sensitisation by inhalation and skin contact. Toxic: danger of serious damage to health by prolonged exposure through inhalation. Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. Possible risks of irreversible effects. Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Carcinogenicity: Carc. 1A Germ cell mutagenicity: Muta. 2 Reproductive toxicity: Repr. 1B Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 3 Skin corrosion/irritation: Skin Irrit. 2 Respiratory/skin sensitization: Resp. Sens. 1 Respiratory/skin sensitization: Skin Sens. 1



according to Regulation (EC) No 1907/2006

	Nickel(II) chloride hexahydrate, 50 g	D 0 (0
Print date: 15.04.2015	Product code: 9992046	Page 2 of 9
Hazardou Hazardou Hazard S Toxic if in Toxic if su Causes s May caus May caus May caus May caus May caus May caus May caus Suspecte	wallowed. kin irritation. se allergy or asthma symptoms or breathing difficulties if inhaled. se an allergic skin reaction. lamage to organs through prolonged or repeated exposure. se cancer by inhalation. age the unborn child. ed of causing genetic defects.	
,	c to aquatic life.	
Very toxi	c to aquatic life with long lasting effects.	
2.2. Label elements		
	n ts which must be listed on the label chloride hexahydrate	
Signal word:	Danger	
Pictograms:	GHS06-GHS08-GHS09	
Hazard statements		
H301+H331	Toxic if swallowed or if inhaled.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H341	Suspected of causing genetic defects.	
H350i	May cause cancer by inhalation.	
H360D	May damage the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H410	Very toxic to aquatic life with long lasting effects.	
Precautionary statem	ents	
P201	Obtain special instructions before use.	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.	
P501	Dispose of contents/container to Waste management.	
SECTION 3: Composit	ion/information on ingredients	
3.1. Substances		

Sum formula:	237,69
Molecular weight:	Cl2Ni · 6H2O



according to Regulation (EC) No 1907/2006

Nickel(II) chloride hexahydrate, 50 g

Print date: 15.04.2015

Product code: 9992046

Page 3 of 9

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
	Nickel(II) chloride hexahydrate	100 %
7791-20-0	Carc. Cat. 1, Muta. Cat. 3, Repr. Cat. 2, T - Toxic, Xi - Irritant, N - Dangerous for the environment R49-61-23/25-38-42/43-48/23-50-53-68	
	Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 3, Acute Tox. 3, Skin Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360D H301 H331 H315 H334 H317 H372 H400 H410	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Move victim out of danger zone.

After inhalation

Provide fresh air. In case of breathing difficulties administer oxygen. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately.

After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Medical treatment necessary.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Call a physician immediately.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains



according to Regulation (EC) No 1907/2006

Nickel(II) chloride hexahydrate, 50 g

Print date: 15.04.2015

Product code: 9992046

Page 4 of 9

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	green
Odour:	No data available

pH-Value:

Sublimation point:

Changes in the physical state

Initial boiling point and boiling range:

No data available No data available

No data available

Test method



according to Regulation (EC) No 1907/2006

Nickel(II) chloride hexahydrate, 50 g				
Print date: 15.04.2015	Product code: 9992046	Page 5 of 9		
Softening point:	No data available			
Flash point:	No data available			
Flammability Solid: Gas:	No data available No data available			
Lower explosion limits:	No data available			
Upper explosion limits:	No data available			
Ignition temperature:	No data available			
Auto-ignition temperature Solid: Gas: Vapour pressure: Vapour pressure: Density: Water solubility: Partition coefficient: Viscosity / dynamic:	No data available No data available			
Viscosity / kinematic: Flow time:	No data available No data available No data available			
Vapour density:	No data available			
Evaporation rate:	No data available			
Solvent separation test: Solvent content: 9.2. Other information	No data available No data available			
Solid content:	No data available			

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Toxic. Acute toxicity, inhalant. Acute toxicity, dermal.



CONATEX-DIDACTIC Lehrmittel GmbH

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Nickel(II) chloride hexahydrate, 50 g

Print date: 15.04.2015

Product code: 9992046

Page 6 of 9

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
7791-20-0	Nickel(II) chloride hexahydrate				
	oral	ATE	100 mg/kg		
	inhalative vapour	ATE	3 mg/l		
	inhalative aerosol	ATE	0,5 mg/l		

Irritation and corrosivity

After skin contact: Irritant.

Sensitising effects

May cause sensitization by inhalation and skin contact.

Severe effects after repeated or prolonged exposure

Danger of serious damage to health by prolonged exposure.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer. May cause heritable genetic damage.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products



CONATEX-DIDACTIC Lehrmittel GmbH

Safety Data Sheet

	according to Regulation (EC) No 1907/2006	
	Nickel(II) chloride hexahydrate, 50 g	
Print date: 15.04.2015	Product code: 9992046	Page 7 of 9
	ISE SPECIFIED IN THE LIST; gases in pressure containers and discarded micals, consisting of or containing dangerous substances, including mixtures vaste.	
	ISE SPECIFIED IN THE LIST; gases in pressure containers and discarded micals, consisting of or containing dangerous substances, including mixtures	
CLOTHING NOT OTHER	BSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE WISE SPECIFIED; packaging (including separately collected municipal ging containing residues of or contaminated by dangerous substances	
Contaminated packaging Non-contaminated packag substance itself.	ges may be recycled. Handle contaminated packages in the same way as the	
SECTION 14: Transport information		
_and transport (ADR/RID)		
<u>14.1. UN number:</u>	UN3288	
<u>14.2. UN proper shipping name:</u>	TOXIC SOLID, INORGANIC, N.O.S.	
14.3. Transport hazard class(es):	6.1	
14.4. Packing group:		
Hazard label:	6.1 TE	
Classification code:	T5 274	
Special Provisions: Limited quantity:		
Transport category:	5 kg 2	
Hazard No:	60	
Tunnel restriction code:	E	
Other applicable information (land tra		
E1		
nland waterways transport (ADN)		
<u>14.1. UN number:</u>	UN3288	
14.2. UN proper shipping name:	TOXIC SOLID, INORGANIC, N.O.S.	
14.3. Transport hazard class(es):	6.1	
14.4. Packing group:	III	
Hazard label:	6.1	
Classification code:	T5	
Special Provisions:	274 802	
Limited quantity:	5 kg	
Other applicable information (inland E1	waterways transport)	
Marine transport (IMDG)		

Marine transport (IMDG) UN3288 14.1. UN number: TOXIC SOLID, INORGANIC, N.O.S. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 6.1



according to Regulation (EC) No 1907/2006

Nickel(II) chloride hexahydrate, 50 g			
Print date: 15.04.2015	Product code:	9992046	Page 8 of 9
14.4. Packing group:	III		
Hazard label:	6.1		
Special Provisions:	223, 274		
Limited quantity:	5 kg		
EmS:	F-A, S-A		
Other applicable information (marine tra E1	ansport)		
Air transport (ICAO)			
<u>14.1. UN number:</u>	UN3288		
14.2. UN proper shipping name:	TOXIC SOLID, INOR	GANIC, N.O.S.	
14.3. Transport hazard class(es):	6.1		
14.4. Packing group:	III		
Hazard label:	6.1		
Special Provisions:	A3 A5		
Limited quantity Passenger:	10 kg		
IATA-packing instructions - Passenger:		670	
IATA-max. quantity - Passenger:		100 kg	
IATA-packing instructions - Cargo:		677	
IATA-max. quantity - Cargo:		200 kg	
Other applicable information (air transp	port)		
E1 : Y645			
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	yes		
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
EU regulatory information			

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Water contaminating class (D):

3 - highly water contaminating

SECTION 16: Other information

Relevant R-phrases (Number and full text)23/25Toxic by inhalation and if swallowed.

20/20	Toxic by initialation and it swallowed.
38	Irritating to skin.
42/43	May cause sensitisation by inhalation and skin contact.
48/23	Toxic: danger of serious damage to health by prolonged exposure through inhalation.
49	May cause cancer by inhalation.
50	Very toxic to aquatic organisms.
53	May cause long-term adverse effects in the aquatic environment.
61	May cause harm to the unborn child.
68	Possible risks of irreversible effects.
levant H- and E	EUH-phrases (Number and full text)
H301	Toxic if swallowed.
H301+H331	Toxic if swallowed or if inhaled.
H315	Causes skin irritation.
	38 42/43 48/23 49 50 53 61 68 levant H- and B H301 H301+H331



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Nickel(II) chloride hexahydrate, 50 g				
Print date: 15.04.2015	Product code: 9992046	Page 9 of 9		
H317	May cause an allergic skin reaction.			
H331	Toxic if inhaled.			
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
H341	Suspected of causing genetic defects.			
H350i	May cause cancer by inhalation.			
H360D	May damage the unborn child.			
H372	Causes damage to organs through prolonged or repeated exposure.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			